



STAFFORDSHIRE
POLICE

Local support Services

Stoke on Trent Community Drug & Alcohol service
(CDAS)

01782 221090

referrals@sotcdas.org.uk

T3 stars (Covering all areas of Staffordshire;
Newcastle-Under-Lyme, Staffordshire Moorlands,
Stafford & Stone, Rugeley, Cannock & Burntwood,
East Staffordshire & South Staffordshire) Excluding
Stoke-on-Trent

Suite 1, 7-8 Mill Street, Stafford ST162AJ

01785 241393

t3stars.stafford@humankindcharity.org.uk

Cannabis Edibles

If you think that someone is supplying
edibles in your local area please contact
Staffordshire Police on 101 or visit
www.staffordshire.police.uk

If you have a hearing or speech impairment
use textphone 18000

If you prefer to remain anonymous
contact Crimestoppers on 0800 555 111
or crimestoppers-uk.org

With thanks to DCI Roworth at Humberside Police for allowing us to use this
document.



What are Cannabis Edibles?

Laced with a mood altering ingredient from Cannabis, Cannabis Edibles are an illegal and a really strong 'sweet' aimed at young people/ teenagers. They come in the form of sweets, chocolate and drinks. Although Cannabis edibles contain an element of Cannabis, they do not have the smell or appearance of cannabis. Instead, they look and smell like a shop bought item but are much stronger than other Cannabis products



Can you Identify Cannabis Edibles?

Cannabis Edibles can be difficult to identify. Sometimes the packaging differs slightly from shop bought items. Differences are in the form of appearance, spelling or poor quality packaging. Below are examples of shop bought items and how they compare to Cannabis Edibles.

Shop Bought Items

Purchased Cannabis Edibles



The Effects of Cannabis Edibles

Cannabis Edibles are much stronger than other cannabis products. Unlike smoked cannabis, swallowed cannabis is much easier to be consumed but takes longer to take effect. Young people are likely to eat too many due to the delayed effect. Eating one sweet is equivalent to one joint.



Comparison Point	Cannabis Edibles	Cannabis Joint
THC Strength	10-15mg per sweet	12mg
Time of impact	30-60 minutes	10-15 seconds
Length of impact	Up to three hours	1 -2 hours



Short Term Effects

Changes in visual perception

Anxiety

Dry, red eyes

Changes in perception of time

Hallucinations

Increased appetite

Dry mouth

Disorientation

Paranoia

Nausea

Long Term Effects

Poor sleep

Poor educational outcome

Loss of short-term memory

Increased risk of developing mental health illness

Lack of motivation

Dependency

Longer term increasing anxiety

Problems with thinking and understanding



My child has taken Cannabis Edibles.

What do I do?

Stay calm and try not to panic. Assess the situation and gather the facts.

What information would be good to know?

It may not always be possible but there are pieces of information which would be beneficial to know if medical professionals are required. This information includes:

1. Details of the child (age, name, medical history etc.)
2. What actually happened? Did the child digest Cannabis Edibles or is it *believed* to have happened?
3. What type of edible were they?
4. Retain any packaging
5. When were the edibles consumed?
6. Has your child consumed any other substances/alcohol?

Is the child conscious and responsive but not themselves?

If the child is conscious and responsive but not themselves as a result of Cannabis Edibles, gather the facts and **telephone 111 for advice and additional information.**

Is the child coherent, conscious and responsive?

If the child is stable, speak to your child at an appropriate time.

If the family pets accidentally eats Cannabis Edibles seek veterinary treatment.

Is speech slurred?

Is the pulse rate elevated? Or Are they disorientated, unresponsive or unconscious?

Call 999 WITHOUT DELAY.

If a person is unconscious but breathing and has no other life-threatening conditions, they should be placed in the recovery position following the 9 steps below:

1. With the person lying on their back, kneel on the floor at their side.
2. Extend the arm nearest you at a right angle to their body with their palm facing up.
3. Take their other arm and fold it so the back of their hand rests on the cheek closest to you, and hold it in place.
4. Use your free hand to bend the person's knee farthest from you to a right angle.
5. Carefully roll the person onto their side by pulling on the bent knee.
6. Ensure the bent arm is supporting the head.
7. Open their airway by gently tilting their head back and lifting their chin.
8. Check that nothing is blocking their airway.
9. Stay with the person and monitor their condition until help arrives.

